


# Quantum<sup>®</sup> 600 Series

Group 3 Single Power & Multiple Power Order Form 300 lbs. weight capacity



## SET-TO-SPEC\*



# Quantum Rehab<sup>®</sup>

A Division of Pride Mobility Products Corporation® 182 Susquehanna Ave., Exeter, PA 18643 Phone: (866)800-2002 • Fax: (866) 707-3422

Account Number:		
Provider Name:		
Contact:		
Phone:		
Fax:		
Date:		
PO#:		
Marked For:		
Ship To:		
Address:		
City:	State:	Zip:
Discount:		
Terms:		
Freight:		
Taken By:		

#### **Please Supply Client Information:**

Client Height:\_

- Client Weight:\_\_
- A. Seat Width:
- B. Lateral Offset:
- C. Hip/Thigh Lateral Offset:
- D. Center of Gravity: Optimized based on seat dimensions
- E. Seat Depth:
- F. Back Height from Pan:\_
- G. Lateral Height from Pan: H. Armrest Height from Pan:\_
- I. Rigging Length (whole numbers only):\_\_\_
- J. Seat to Floor Height (circle one):

Seating System	S	eat-To-Fl	oor Heigh	ts
TRU-Balance <sup>®</sup> Tilt or Tilt & Recline	18.125"	19.125"	20.125"	21.125"
TRU-Balance <sup>®</sup> Recline	17"	1	8"	19"
TRU-Balance <sup>®</sup> Lift	19.25"	20.125"	21"	21.875"

Seat to floor height are +/- 1/8" with 18"W x 18"D with Flat-Free tires (add 3/8" for pneumatic tires). Increased widths may increase lowest seat to floor heights.

\* While every effort will be taken to ensure dimensions will be preset to your specifications prior to shipping variations in options may effect final settings.

Notes:

# Quantum<sup>®</sup> 600

# **Group 3 Single Power & Multiple Power**

**Order Form** 

 DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice. All prices are MSRP. Options with a circular checkbox (O) NOT available through Quantum West.

 BASE MODEL

 Description
 Price
 HCPCS Code
 Description
 Price

 Quantum 600 3SP-SS
 \$6,321
 K0856
 T5 Amp NE
 Standard

#### Quantum 600 3MP-SS K0861 \$6,121 COLORS Metallic Colors: □ 75 Amp NE+ 6-Key For Up To 2 Actuators Thru Joystick \$200 Candy Apple Red Standard on 3SP-SS Package 0 Uviper Blue Onyx Black Sunburst Orange Pearl Pink Silver Emerald Green **EXPANDABLE CONTROLS** □ Sapphire Blue Description **HCPCS** Code Price Q-Logic EX Joysticks or Enhanced Display Must Be Ordered With Q-Logic EX Controller and Harness MOTOR OPTIONS For Expandable Controlle 100 Amp Q-Logic EX Controller E2377 \$695 Description Price HCPCS Code Harness For Expandable Controller \$350 E2313 Standard Motor Package Standard High Speed Motor Package \$1,574 Programmable Speed Up To 6 MPH, 300 lbs. Wt. Capacity. HS Motors de er-charge range. O Accu-Trac Motor Technology<sup>1</sup> \$1.295 K0108 Delivers Enhanced Traction and Tracking Especially With Su tched Drive Contr Q-Logic EX Joystick \$700 O Community Use Package<sup>2</sup> \$2,125 Package Includes: - 300 lbs. Weight Capacity - 4-Pole High Speed Motor Package - 4" Wide Flat Free, Knobby, Extended Traction Tires Requires Q-Logic EX. Increases overall base width by 1.5". Q-Logic EX Joystick For Lights \$700 Required For LED Light Package **BASE MOUNTED FOOT PLATFORM** Description Price Standard Base Mounted Foot Platform Omit Base Mounted Foot Platform No Charge **DRIVE WHEELS** PROGRAMMING Description Price Description Price □ 14" Flat-Free Standard Q-Logic Handheld Programmer \$545 14" Pneumatic No Charge O 4" Wide Flat Free, Knobby, Extended-\$551 Traction Tires<sup>1</sup> \$551 O 4" Wide Pneumatic, Knobby, Extended-Traction Tires<sup>1</sup> Q-Logic Programming Cable w/ Disk1 \$750 1. Increases overall base width by 1.5" with Flat Free, 1.8" with Pneumatic. 1. Works with Q-Logic EX only **BATTERY CHARGER** Price JOYSTICK HANDLES Description **HCPCS** Code Description Price 8 Amp Off-board Charger Standard Standard Carrot Handle Standard LED LIGHT PACKAGE Mushroom Handle \$71 E2323 T-Bar \$107 E2323 Description Price Chin Cup \$71 E23241 Extended I-Handle O Through Q-Logic EX w/ Lights \$995 \$71 E2323 Soft Ball Handle \$50 E2323 Medium Ball Handle \$50 E2323 **TRANSIT KIT** Bodypoint 3" Goal Post Handle \$69 E2323 Description Price Bodypoint 4" Goal Post Handle E2323 \$69 1. Use HCPCS code E2323 when not used in conjunction with a chin control. Refer to last page for Details Regarding Occupied and Unoccupied Transit Kits

1. Unoccupied Transit Kit with a Vent Tray may not allow lowest seat to floor height. Revised: September 26, 2012

No Charge

Unoccupied Transit Kit<sup>1</sup>

				TS		BACK OPTIONS (CONT'D)		
Descriptio	n			Price	HCPCS Code	Description	Price	HCPCS Cod
Co Fixed Inlin		with a Quick	Release, A	djustable-Height J Standar	· ·	Tru Comfort Color Shroud Option:		
Side:	🖵 Left	🛛 Right		<b>*• · •</b>	<b>F</b> / 222	Black (Standard color option) Metallic Colors:\$100		
Swing-aw Side:	ay	Right		\$210	E1028	O Candy Apple Red O Silver		
Style:		Offset					ald Green hire Blue	
Length:		□ 7" Ext.	2	¢100	1/0400	O Pearl Pink		
Multi-axis Side:	Left	🛛 Right		\$100	K0108			
		0				Tilt Back Options:	Standar	d
<ol> <li>Not available</li> <li>In iQuantum of</li> </ol>	with Q-Logic EX choose in addition	C Stand Alone on to Swing-A	Joystick way 4" mour	nt.		Omit Push Handles	\$125	G
TRU-BAI		POWER	POSIT	IONING		O Flip Forward Back Canes <sup>3</sup>	\$150 \$125	
Descriptio	n			Price	HCPCS Code	☐ Omit Push Handles ☐ Offset (Meso) <sup>4</sup>	\$125 \$195	
TRU-Balan			ity (CG) nov	\$4,995 wer tilt seating system	E1002	2" (1" Per Side) 4" (2" Per	Side)	
TRU-Balan	ce® Power F	Recline (16	8°)	\$5,595	E1004	□ Inset (Endo) <sup>4</sup> □ 2" (1" Per Side) □ 4" (2" Per	\$195 Side)	
16	8 degrees of po	ower recline v	with full driv	ve lock-out set at 2		O Attendant Manual Recline <sup>5</sup>	\$750	E1226
TRU-Balan 55 degree cen	ce <sup>∞</sup> Power T iter of gravity (	III (55°) & CG) power til	Recline ( t seating sy	108 <sup>-</sup> ) \$9,595 stem with 168 deg	E1007 rees of power recline			
) TRU-Balan			ock-out at 20	0 degrees \$2,895		Power Recline Back: ☐ Synergy <sup>®</sup> Reclining Back	Standar	d
Must b	e selected in c	) onjunction w Maximum se	ith TB Powe	er Tilt or TB Power	Tilt & Recline	with 1.5" Thick Back Cushion		u
10" of sciesor						W □ TRU-Comfort™ Back 4-way Stretch Material Co Sign Width: □ 16"W □ 17" W □ 18"W	<sup>ver</sup> \$595/\$7	95 E2620
lbs. max. wt., A Manual Recline	llowable dimens or Power Recli	sions 16" x 16" ne Onlv.	' - 20" x 20",	Requires Q-Logic E	ift, 1/4 Speed Inhibit, 300 X, Not available with		4090IØI	55 L2020
SEATING			NS			Overall Back	\$695/\$7	95 E2621
<u>Seat Width:</u>						<i>Height<sup>7</sup>:</i> □ 20" H □ 21" H □ 22"H	🗖 23"H	
	15" 🔲 1	6" 🛛 1	7" 🖸 '	18" 🛛 19"	<b>2</b> 0"		28"H	
Seat Width I 14"W-18"		🖵 15"W-2	20"W			After-Market Back Interface <sup>8</sup>	\$200	
Seat Depth:						Recline Back Options:		
□ 14" □ Seat Depth	15" 🔲 1 Package:	6" 🛛 1	7" 🖸 '	18" 🛛 19"	<b>2</b> 0"	$\square \text{ Offset (Meso)}^9$ $\square 2" (1" \text{ Per Side}) \square 4" (2" \text{ Per Side})$	\$195 Side)	
<b>Seat Depth</b> <b>1</b> 4"D-18"E		🖵 15"D-2	20"D			□ 2" (1" Per Side) □ 4" (2" Per □ Inset (Endo) <sup>9</sup>	5ide) \$195	
Back Cane I				D 4="		2" (1" Per Side) 4" (2" Per	Side)	
□14" □19"	□15" □20"	□16 □21		□17" □22"	□18" □23"	Recline Color Shroud Option:		
<b>Q</b> 24"	<b>□</b> 25"					Black (Standard color option)		
BACK O	PTI <u>ONS</u>					Metallic Colors:N/C		
Description				Price	HCPCS Code	□ Viper Blue □ Emer	ald Green	
Tilt Back:						Sunburst Orange     Sapple     Suburst Orange     Sapple	hire Blue	
Synergy®	Shape Back	C Positioning E	Back	Various Detailed Pricing, Siz	E2613/E2614	Pearl Pink		
Omit Back	<			No Cha				
Synergy®				No Cha	rge	<ol> <li>Not available with Attendant Manual Recline, Vent Tray, ports and Waterfall Armpads.</li> <li>Dest Discher Armsent interface with effect energy</li> </ol>		
Overall Back Height:		□ 19" H □ 23"H		❑ 21"H ❑ 25"H"		<ol> <li>Dual Post Flip-back Armrests interfere with offset canes</li> <li>Not available with Flip Back Arms, Cantilever Arms, Sha seat or 10" Lift. Requires 22"H canes. Pivot point 2.5" a</li> <li>Available with offset (meso) brackets.</li> </ol>	. Not available with ipe Back, Tru Comfo	ort back, power eleval
	Choose Lateral	Extensions:				<ul> <li>6. Available with offset (meso) brackets.</li> <li>7. Overall Back height measurement is measured from the</li> </ul>	seat pan to the ton	of the back. All back
	_	· 13"-16"H · 17"-18"H		\$25 \$25		<ol> <li>Overall Back height measurement is measured from the heights except 25" and 28" are SOF with no extended le Overall Seat depth may need to be adjusted to accomm Specialist for details. Does not include brackets to mou</li> </ol>	ad time. odate certain backs	. Contact your Quan
	🖵 12" Fo	r 19"-22"H	Back	\$25		Specialist for details. Does not include brackets to mou 9. Requires Cantilever Arms. Back width can not be less t	nt after market back han 14" or greater t	k. han 24".
	🖵 16" Fo	r 23"-25"H	Back	\$25				
TRU-Com		•						
Width:	🖵 16"W	🖵 18" W	❑ 20"W	\$595	E2620			
Overall Back	🗖 20" H	🛛 21" H	🛛 22"H	🖵 23"H				
Height <sup>1</sup> :	🖵 24"H	🖵 25"H	🖵 27"H	🖵 28"H				
Width:	🗖 17"W	🖵 19"W		\$595	E2620			
		□ 23"H	□ 2/"⊔	□ 25"H				
Oursen 11 D - 1	□ 22 H □ 27"H		⊆ 24 H	u 20 ⊓				
Overall Back Height <sup>1</sup> :								
-	<u>יאוייגרי</u>	D 24"\\\/2		¢605	E0604			
		□ 24"W <sup>2</sup> □ 25"H	_	\$695	E2621			

# Revised: September 26, 2012

Quantum <sup>®</sup> 600	Quantum <sup>®</sup> 600 Group 3 Single Power & Multiple Power					
ARMRESTS	Options w	vith a circular checkbox (〇) ar	re NOT available through Quantum Wes HEADRESTS	st.		
Description	Price		Description		Price	HCPCS Code
Description         Tilt Armrests:         Flip Back, Cane Mounted Armrests1         2-Post, Flip-back, Height Adjustable, Removable2         Single Post Height Adjustable Removable3         Quad Release Lever         Removable, Single Post, Height Adjustable, Heavy Duty         Height:       8"H - 12"H         Pediatric, Removable4         Color:       Black         Quad Release Lever         Height Adjustable Cantilever Armrests5         Angle Adjustable: -30° throw         Power Recline Armrests:         Reclining, Flip Back         Height Adjustable Cantilever Armrests1         Angle Adjustable: -30° throw         1. Interferes with Swing-Away laterals.         1. Interferes with Swing-Away laterals.         1. Height adjustment from 9"-13" in 1" increments. Interferes a depth less than 15".         3. Height adjustment from 9"-13" in 1/2" increments.         4. Height adjustment from 11"-17" in 1/2" increments. No 5. Height adjustment from 11"-17" depends on cane height. Mark Back Canes, Cane Clamp Pushbar, or Shape Back. Cane Camp Pushbar, or Shape Back. Cane Camp Pushbar, or Shape Back. Cane Camp Pushbar, or Shape Back. Cane Clamp Pushbar, or Sha	No Char No Char No Char No Char No Char 4"H No Char \$195 ugh +30° Standarc 1"H \$195 ugh +30° with swing-away	ge ge ge laterals. Not available with	Description → No Headrest Require TRU-Comfort™Headre → 8"W Leatherette → 8"W TRU-Comfort PII → 10"W TRU-Comfort PII → 10"W TRU-Comfort FII → Removable Headrest → Small (9.75"W x 3"H) → Large (11"W x 6"H) (3 → Pediatric Comfort PIIu → Small Comfort PIUs (1 → Removable Headrest (1 → Reclining Headrest (1 → Hardware (TWB485) → Hardware (TWB485) → Not available with power reclined → Not availab	est <sup>1</sup> : us Plus Bracket (STL-OTSM250) STL-OTLG150) Is (6"W) (CPN350) 10"W) (CP250) 14"W) (CP150) t Bracket <sup>2</sup> (HMO475P) wn) Headrest by ble Headrest Bracket 5.5"W x 7"H) For Reclining Headrest Removable Headrest the inside of the headrest.	\$205 \$205 \$205 \$205 \$210 \$205 \$142 \$142 \$142 \$142 \$210 \$210 \$210	E0955 E0955 E0955 E1028 E0955 E0955 E0955 E0955 E0955 E0955 E1028 E0955 E1028 E1028
ARMPADS			NON-POWER LE	GRESTS		
Description	Price		Description		Price	HCPCS Code
□Straight, Full Length (2"x14") □Left □Right □Straight, Desk Length (2"x10") □Left □Right □Waterfall, Full Length (2"x14") <sup>1</sup> □Left □Right □Waterfall, Desk Length (2"x10") <sup>1</sup> □Left □Right □Falcon Gel, Full Length, (3.5"x14")* □Left □Right □Full Length Gel Armpad Mounting Plate ( <i>Required</i> )* □Left □Right □Desk Length Gel Armpad Mounting Plate ( <i>Required</i> )*	Standard No Charg No Charg \$160 pr. \$56.69 e \$125 pr. \$53.52 e	ge ge a.	<ul> <li>☐ 70° Swing-away L</li> <li>☐ Straig</li> <li>☐ Standard Extruded</li> <li>Standard Extruded Extensions:</li> <li>☐ 11"-13"</li> <li>Standard Extruded Footplates:</li> <li>☐ 7.25" x 6"</li> <li>☐ Angle-Adjustable Extensions:</li> <li>☐ 11"-13"</li> <li>Angle-Adjustable Footplates:</li> <li>☐ 4" x 6"</li> <li>☐ 6" x 8"3</li> <li>☐ Multi-Axis Footplates:</li> <li>☐ 11"-16.5"</li> <li>Multi-Axis Footplates:</li> </ul>	Image: Tapered Footplates         Image: Tapered Footplates	No Chai \$15.5"-19.5" \$150 \$15.5"-19.5" \$15." x 8" \$3" x 11"4 \$495	
1. Not available w/ Cane Mounted, Flip Back Armrests combin POWER POSITIONING ELECTRON		ly Back.	□ 4" × 6" □ 6" × 8" <sup>3</sup> □ High Mount, Clam	G" x 11" <sup>3</sup>	l 5" x 8" l 8" x 11" <sup>4</sup>	
Description	Price	HCPCS Code	Angle Adjustable	•	\$356	K0040
Single Actuator Electronics: ☐ Through Toggle Box (Tilt Only) ☐ Left Mount ☐ Right Mount ☐ Through NE+ 6-Key ☐ Through Single Switch <sup>1</sup> (Tilt Only with Q-Logic EX)	No Char \$1175 \$500	ge E2310	Large, 4.25	5" x 9.25" 7.75"	\$356 \$456 \$460	K0040
<ul> <li>□ Through Q-Logic EX Controller</li> <li>□ Through NE+ 6-Key Controller</li> <li><u>Multiple Actuator Electronics:</u></li> <li>□ Through Q-Logic EX Controller</li> </ul>	\$1175 \$2375 \$2,375	E2310 E2311 E2311	□ Heavy Duty Drop □ Angle Adjustable F Angle Adjustable Extension Len □ 12"-14.5" Angle Adjustable Footplate Size	cootplates² gth: □14.5" -18"	<b>\$420</b> \$150	K0040
<ul> <li>Q-Logic EX Through 4-Way Toggle</li> <li>Left Mount</li> <li>Right Mount</li> <li>Q-Logic EX Through 4-Way Button Toggle</li> <li>Left Mount</li> <li>Right Mount</li> <li>Q-Logic EX Through Quad Push-button</li> </ul>	\$2,375 \$2,375 \$2,375 \$2,375	EZƏTT	4" x 6" 6" x 8"3 1. Legrest Extensions are mea: 2. Includes Heel Loops 3. Causes interference on seat	□5" x 6" □ □6" x 11" <sup>3</sup> □ sured from seatpan to footpl widths less than 18".	15" x 8" 18" x 11" <sup>4</sup> ate.	
Left Mount Right Mount     Single switch not included. See specialty controls order for	m for a list of ava	ilable switches.	4. Causes interference on seat	widths less than 20".		

# Items marked with a (\*) should be chosen in the Positioning Components screen in iQuantum Revised: September 26, 2012

NAN DOWEDED LEADERS (ACT	Options wi	3 Single Pow th a circular checkbox () ar	e NOT available through Quantum West.		
NON-POWERED LEGRESTS (CON	ſ'D)		POWERED LEGRESTS		
Description	Price	HCPCS Code	Description	Price	HCPCS Code
Elevating Legrests <sup>1</sup> Standard Footplates tandard Extruded Extension Length:11"-14"14"-17" tandard Extruded Footplate Size:	\$325	E0990	□70° Articulating Swing-Away Legres 4" Articulation Range □Quad Release Lever Calf Pads <sup>1</sup> : □6" x 5.35" □8" x 5.8		E1010
$\Box 7.25^{\circ} \times 6^{\circ}  \Box 8.5^{\circ} \times 6^{\circ}$ $\Box \text{ Angle Adjustable Footplates}^{2}$ ngle Adjustable Extension Length: $\Box 12^{\circ}-14.5^{\circ}  \Box 14.5^{\circ}-18^{\circ}$ ngle Adjustable Footplate Size: $\Box 4^{\circ} \times 6^{\circ}  \Box 5^{\circ} \times 6^{\circ}  \Box 5^{\circ}$		K0040	Angle Adjustable Extension Length <sup>2</sup> : 11"-13" 14.5"-18 Angle Adjustable Footplate Size: 4" x 6" 5" x 6" 5" 6" x 8" <sup>3</sup> 6" x 11" <sup>3</sup> 8" Operational Method: Independent Combin	x 8" x 11" <sup>4</sup>	
□6" x 8"3       □6" x 11"7       □8"         □ Calf Pad Adjustment       □1 Hole       □3 Hole       □6 H	x 11" <sup>4</sup> Hole		□70° Articulating Drop-In Legrests □4" Range □6" Rang Calf Pads <sup>1</sup> : □6" x 5.35" □8" x 5.8		E1010
90° Pediatric Swing-Away Legrests <sup>5</sup> □ Angle Adjustable Footplates <sup>6</sup> ngle Adjustable Extension Length:     □ 7"-10"     ngle Adjustable Footplate Size:     □ 4" x 6" □ 5" x 6"     Extensions are measured from the seatpan to footplate.	\$162		Angle Adjustable Extension Length <sup>2</sup> : □ 12"-14.5" □ 14.5"-18 Angle Adjustable Footplate Size: □ 4" x 6" □ 5" x 6" □ 5" □ 6" x 8" <sup>3</sup> □ 6" x 11" <sup>3</sup> □ 8" Operational Method: □ Independent □ Combin	x 8" x 11"4	
Includes heel loops. Causes interference on seat widths less than 18". Causes interference on seat widths less than 20". Extensions are measured from the seatpan to footplate. Includes heel loops.			Choose in Rigging Accessory Section in iQuantum.     Extensions are measured from top of seat pan to footpla     Only available with seat width 18° or greater.     Only available with seat width 20° or greater.		
ADJUSTABLE CENTER MOUNT FO	OT PLAT	FORM	CENTER MOUNT ARTICULATING	FOOT PLA	TFORM
Description	Price		Description	Price	HCPCS Code
Adjustable Center Mount Foot Platform         Includes 10"W x 11"D Split Foot Platform         Extensions:1       10"-16" Ext.       13"-19" E         Calf Supports <sup>2</sup> :       □ Calf Pads (pair)       □ Small (6"H x 6"W)         □ Large (8"H x 8"W, Tapered to 6"W)       Optional Modular Footplate Extension Components/Kits <sup>2,3</sup> □ 4" Width Extension Kit	\$250 xt. \$150 \$50		□ Center Mount Articulating Foot Platform Includes 10"W x 11"D Split Foot Platform Extensions <sup>1</sup> : □ 10"-16" Ext. □ 13"-19" Calf Supports <sup>2</sup> : □ Calf Pads (pair) □ Small (6"H x 6"W) □ Large (8"H x 8"W, Tapered to 6"W) Optional Modular Footplate Extension Components/Kits <sup>2,3</sup> □ 4" Width Extension Kit		K0108
□ 2" Bell Shaped, Length Extension Kit	\$50		□ 2" Bell Shaped, Length Extension Kit	\$50	
4" Width Extension with 2" Be Shaped, Length Extension Kit			□ 4" Width Extension with 2" E Shaped, Length Extension k		
	\$95		G-Piece Extension Stock Kit	\$95	
6-Piece Extension Stock Kit (Includes all above pieces)					
	\$49		Additional Optional Accessories <sup>2</sup> :	\$49	

# Quantum<sup>®</sup> 600

# Group 3 Single Power & Multiple Power

**Order Form** 

			e NOT available through Quantum West.		
FRONT RIGGING ACCESSORIES			MISCELLANEOUS POSITIONING C	OMPONE	NTS
Description	Price	HCPCS Code	Description	Price	HCPCS Cod
U Wheel Bumpers	\$25		Therafin Flip-down Knee Abductor Bracket*	¢470	<b>E</b> 1020
□ Heel Loops (pair) <sup>1</sup>	\$38	E0951	Pad:	\$172	E1028
Gel Neoprene Footrest Sleeve (pair) <sup>2</sup>	\$65	K0108	🗅 Small 🛛 Medium 🖓 Large	\$135	E0957
ELR/ALR Adductor Buttons (pair)	\$125	K0108	Stealth Foot Boxes (pair)*	\$475	K0108
POSAlinc Knee Adductor for Swing- Away Legrests (pair)*	\$256	K0108	O Small O Medium D Large	<b>*</b> 400	1/0/00
POSAlinc Rail Mounted Knee Adductor (pair)*	\$287	K0108	Stealth Padded Shoe Holders (pair)*	\$166	K0108
Residual Limb Support	\$300	E1020	□ Small □ Medium □ X-Large □ Otto Bock Arm Channels (ea.)*	\$104	E2209
Left Right			Side:	φ10 <del>4</del>	L2209
□ Bodypoint Ankle Huggers (pair)* □ Small □ Medium	\$134	K0108	Left Right Size:		
<ol> <li>Standard with angle adjustable footplates.</li> <li>Available only with swing-away legrests.</li> </ol>			□ Small □ Medium □ Large □ Otto Bock Flat Hand Pad(ea.)*	\$52	
SYNERGY® CUSHIONS			Side: □ Left □ Right		
Description	Price	HCPCS Code	Size:		
No Cushion Required     Please refer to Synergy order forms for detailed	prioing oizoo	and codes	Please see positioning components order form for ac	ditional types, si	zes and details.
Simplicity Cushion General Use	pricing, sizes a	and codes.	ACCESSORIES		
□ 16" x 16" - 20" x 20"	\$98	E2601	Description	Price	HCPCS Code
Solution® 1 Cushion Skin Protection:				FILE	nores code
□ 14" x 14" - 20" x 18"	\$380 ¢420	E2603	Quantum Backpack <sup>1</sup>	\$60	
20" x 20" Solution® Cushion Star Protection & Desitioning	\$430	E2603	Oxygen Holder <sup>2</sup>	\$150	E2208
Solution® Cushion Skin Protection & Positioning □ 10" x 10" - 20" x 18"	\$380	E2607	Recline Accessory Mounting Bracket <sup>3</sup>	\$50	
□ 20" x 20"	\$380 \$430	E2607	Weather Cover, Medium, Black	\$158	-
Spectrum® Gel Cushion Positioning	φτου	L2007	Cup Holder	No Charge	3
□ 12" x 10" - 20" x 19"	\$480	E2605	O Tablet Holder	\$315	
□ 20" x 20"	\$530	E2605	O Deluxe Cell Phone/Media Holder	\$140	
Spectrum® Visco Cushion Skin Protection & Positionin	ng		O Cell Phone/Media Holder	No Charge	Э
□ 10" x 10" - 20" x 18"	\$480	E2607		Ũ	
□ 20" x 20"	\$530	E2607	<ol> <li>Backpack may interfere w/ other rear accessories.</li> <li>Oxygen holder on Tilt with Tru Comfort back requires SOF. N</li> <li>1" adaptor tube allows cane mounted accessories to mount to</li> </ol>	/A on Power Recl	ine
Spectrum® Air Adjustable Skin Protection □ 14" x 12" - 20" x 20"	\$480	E2622	3. 1" adaptor tube allows cane mounted accessories to mount to	o power recline ba	ack or siderail.
Spectrum® Air Contour Adjustable Skin Protection & Po		LLOLL	LAP BELTS		
□ 14" x 12" - 20" x 20"	\$499	E2624	Description	Price	
TRU-Comfort <sup>™</sup> Seat Cushion General Use Includes Allure leather-like cover			Description		
$\Box$ 16" x 16" - 20" x 20"	\$380	E2601	□ 38" Lap Belt	Standard	
TRU-Comfort <sup>™</sup> Plus Seat Cushion Skin Protection	<i>QOOOO</i>		□ 50" Lap Belt	Standard	
Includes 4-way stretch material cover			□ 60" Lap Belt	Standard	
□ 16" x 16" - 20" x 20"	\$380	E2603	70" Lap Belt	Standard	
LATERALS			<ul> <li>□ 80" Lap Belt</li> <li>□ 90" Lap Belt</li> </ul>	Standard Standard	
			Pelvic Positioning Belt, 2-Point Padded,	\$87	
Description	Price	HCPCS Code	Medium, 9"-15" Hip Width*	+	
Stealth Thoracic Laterals (pair) <sup>1*</sup> Bracket:			Pelvic Positioning Belt, 2-Point Padded,	\$92	
□ 125° Swing-Away Bracket	\$450	E1028	Large, 13"-19" Hip Width*	<b>A</b> 4 4 A	
For Use on TRU-Comfort Backs v		21020	Pelvic Positioning Belt, 4-Point Padded,	\$112	
Swing-Away Rail Mounted	\$450	E1028	Medium, 9"-15" Hip Width*	\$116	
For Use on Synergy Back and Tru-Comfort (S Pad:	Synergy and Ti	it Only)	Large, 13-19" Hip Width*	φΠΟ	
Flat Pad, 3"x5", Leather-Like Cover	\$200	E0956			
Flat Pad, 4"x6", Leather-Like Cover	\$200	E0956			
Curved Pad, 2"x3", 4-Way Stretch Cover	\$200	E0956	BATTERY OPTIONS		
Curved Pad, 3"x5", 4-Way Stretch Cover	\$200	E0956	Description	Price	HCPCS Code
Curved Pad, 4"x6", 4-Way Stretch Cover	\$200	E0956	Description	FIICE	HCPC3 Code
Side:			□NF-22, 50-Amp Batteries □Maintainance Free AGM	\$255 ea.	E2361
	ht Side		Maintainance Free Gel Cell (Universal)		E2361
Bracket:				\$295 ea.	E2361
Removable Bracket (ea.)	\$250	E1028	Installation:	ot Install	
Removable Bracket w/ 1" Offset (ea.)	\$325 \$225	E1028		7. motali	
Flip Down Bracket (ea.) Pad:	\$225	E1028			
Short Pad, 4"x4" (ea.)	\$50	E0956			
Medium Pad, 4"x8" (ea.)	\$50	E0956			
Long Pad, 4"x12" (ea.)	\$50	E0956			
Adapter: 2" Depth/Height Adapter Plate (ea.) <sup>2</sup>	\$25	K0108			
1. Swing-away Laterals Interfere with flip-up armrests.					
<ol> <li>Height adaper plate is needed w/ Tru Comfort seat cushion. No Items ma</li> </ol>	ot available on arked with a (*	the flip down bracket. ) should be chosen in th	I e Positioning Components screen in iQuantum		
			• • • • • • • • • • • • • • • • • • • •		

Revised: September 26, 2012

# **Group 3 Single Power & Multiple Power**

# **COMPACT VENT TRAY**

Description	Price
O Compact Vent Tray	\$1,395
The addition of a compact vent tray may in Mounting Bracket:	crease the length & weight of your power chair.

#### Bracket is pre-selected with TRU-Comfort Back

O Flush O 3" Offset<sup>1</sup> O 6" Offset

- Accomodates Pulmonetics LTV-style ventilators.
- Max Vent Dim. 3.25" H x 10.5" W x 13.5" / 20 lbs.
- Not Available with Shape Back or Sling Back.
- Not available with rear mount accessories.
- Not available on Synergy manual recline, Synergy manual tilt or with flip-down back canes.



1. Not available with Cane Mounted Flip-up Arms.

ARTICULATING VENT TRAY		
Description	Price	HCPCS Code
OArticulating Vent Tray <sup>1</sup> - 14.5"W x 10.5-15.5"D OArticulating Bi-PAP Vent Tray <sup>1</sup> - 9.5"W x 9.5-13.5"D The addition of an articulating vent or	Bi-PAP tray may	E1030 E1030
increase the length & weight of you	r power chair.	
Battery Tray Selection:		
OBattery Tray	\$450	K0108
OInclude U1 Battery Box	\$50	K0108

1. Not available with TRU Balance Lift, Manual Recline or with rear mounted accessories.

\$133

E2365

OInclude U1 Battery

# TRANSIT KIT INFO

# Q600

# THIS SECTION MUST BE READ

The Transit Securement Package, when used in conjunction with a wheelchair in the specific configuration of a 18"x20" seat size, with 25" high back canes, Full-length height-adjustable single post armrests, Synergy back 25"h, and style 8 swing away legrests and extruded footplates and heelloops, conforms with the standard of ANSI/RESNA WC/Vol. 4, Section 19, for the purpose of enabling wheelchairs to be secured in certain types of motor vehicles. The Transit Securement Package, including manufacturer-installed front and rear securement brackets and pelvic belt anchoring brackets, has been crash tested in accordance with ANSI/RESNA WC/Vol. 4, Section 19, Frontal Impact Test, with a 168-lbs. (76.2 kg) surrogate occupant corresponding to a user weight range of 115 lbs. (52.16 kg) to 210 lbs. (95.25 kg). While the Transit Securement Package is compatible with additional seat sizes, optional components, and varied configurations, and provides designated securement points, Pride Mobility makes no claims that any other components or configurations have been tested beyond the above described ANSI/RESNA conforming configuration. Please refer to the Transit Securement Package supplement (part number INFMANU3658) for additional information.

### RULES:

-All options are available when unoccupied. Notes when selecting occupied transit kit: -It is recommended that usuable back height be 2" lower than shoulder height. -Available on Synergy Seat up to 20W x 20D -Power AFP, ALRs & ELRs are available on Synergy Seating -All legrests must have heel loops -Synergy manual seating is N/A -TRU-Balance Power Positioning seating, options and accessories are N/A -TRU-Comfort seat cushion is N/A -Contoured seating is N/A -Specialty seating is N/A -Vent option is N/A -Omit Back option is N/A