

Quantum® Q600

Group 3 Standard Order Form 300 lbs. weight capacity




Quantum Rehab®

A Division of Pride Mobility Products Corporation®

182 Susquehanna Ave., Exeter, PA 18643 Phone: (866)800-2002 • Fax: (866) 707-3422

Account Number:			
Provider Name:			
Contact:			
Phone:			
Fax:			
Date:			
PO#:			
Marked For:			
Ship To:			
Address:			
City:	State:	Zip:	
Discount:			
Terms:			
Freight:			
Taken By:			

SET-TO-SPEC*



Please	Supply	Client	Informa	ition:

Client Height:_____

- A. Seat Width:
- B. Lateral Offset:
- C. Hip/Thigh Lateral Offset:_
- D. Center of Gravity: Optimized based on seat dimensions
- E. Seat Depth:_
- F. Back Height from Pan:
- G. Lateral Height from Pan:_
- H. Armrest Height from Pan:
- I. Rigging Length (whole numbers only):
- J. Seat to Floor Height (circle one):

Seating System Seat-To-Floor Height		t		
Contoured Seat	21"	22"	23"	24"
Specialty Seat	17"	18"	19"	20"
Synergy Seat (Standard Stem Mounts)	17"	1	8"	19"
Synergy Seat (Extended Stem Mounts)	Mounts) 19" 20"		21"	

Seat to floor height are +/- 1/8" with 18"W x 18"D with Flat-Free tires (add 3/8" for pneumatic tires). Increased widths may increase lowest seat to floor heights.

Notes:		

Group 3 Standard

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice. All prices are MSRP.

	Opuons with	n a circular checkbox (O) ane i	iOT available through Quantum west.			
BASE MODEL			LED LIGHT PACKA	GE		
Description	Price	HCPCS Code	Description		Price	
OQuantum 600 3S-C	\$6,121	K0849	○ Through Q-Logic EX w/ L	ights	\$995	
□Quantum 600 3S-SS	\$6,121	K0848	NON-EXPANDABLE	CONTROLS	Defe	
Quantum 600 3SP-C	\$6.321	K0857	Description		Price	
An SP-C describes a base with an altern			☐ 75 Amp NE		Standard	
COLORS						

Metallic Colors:

- ☐ Candy Apple Red
- ☐ Viper Blue
- ☐ Onyx Black
- Sunburst Orange
- ☐ Pearl Pink
- Silver
- Emerald Green
- Sapphire Blue

EXPANDABLE CONTROLS		
Description	Price	HCPCS Code

MOTOR OPTIONS

HCPCS Code Description Price

- Standard Motor Package Standard O High Speed Motor Package \$1,574
- Programmable Speed Up To 6 MPH, 300 lbs. Wt. Capacity. HS Motors dec per-charge range.
- \$1,295 K0108 O Accu-Trac Motor Technology Delivers Enhanced Traction and Tracking Especially With Sw. Requires Q-Logic EX. itched Drive Controls

\$2,125

O Community Use Package¹

Package Includes:

- 300 lbs. Weight Capacity
- 4-Pole High Speed Motor Package
- 4" Wide Flat Free, Knobby, Extended Traction Tires
- 1. Increases overall base width by 1.5".

ness Fo
7

☐ 100 Amp Q-Logic EX Controller ■ Expandable Controller Harness

☐ 75 Amp NE+ 6-Key For Up To 2 Actuators Thru Joystick

\$695 E2377 \$350 E2313


\$200

Standard on 3SP-C Package

☐ Q-Logic EX Joystick



O Q-Logic EX Joystick w/ Lighting



\$750

BASE MOUNTED FOOT PLATFORM

Description	Price
☐ Base Mounted Foot Platform Installed ☐ No Base Mounted Foot Platform	Standard No Charge

DRIVE WHEELS		
Description	Price	
 □ 14" Flat-Free □ 14" Pneumatic ○ 4" Wide Flat Free, Knobby, Extended- Traction Tires¹ 	Standard No Charge \$551	
O 4" Wide Pneumatic, Knobby, Extended- Traction Tires1	\$551	
1 Increases overall base width by 1.5" with Flat Free		

PROGRAMMING Description Price \$545 ☐ Q-Logic Handheld Programmer

☐ Q-Logic PC Programming Cable with Disk¹

 Works with Q-Logic EX only
--

BATTERY CHARGER			JOYSTICK HANDLES		
Description	Price HCPCS	Code	Description	Price	HCPCS Code
☐ 5 Amp Off-board Charger	Standard		☐ Standard Carrot Handle	Standard	
TRANSIT KIT			☐ Mushroom Handle	\$71	E2323
			☐ T-Bar	\$107	E2323
Description	Price		☐ Chin Cup	\$71	E2324 ¹
			☐ Extended I-Handle	\$71	E2323
Refer to last page for Details Regarding Occupied	and Unoccupied Transit Kits		☐ Soft Ball Handle	\$50	E2323
O Occupied Transit Kit	\$350		☐ Medium Ball Handle	\$50	E2323
■ Unoccupied Transit Kit¹	No Charge		☐ Bodypoint 3" Goal Post Handle	\$69	E2323
Unoccupied Transit Kit with a Vent Tray may no	ot allow lowest seat to floor height, vent trav		☐ Bodypoint 4" Goal Post Handle	\$69	E2323
unavailable w/ Occupied Transit Kit.	, , , , , , , , , , , , , , , , , , ,		Use HCPCS code E2323 when not used in conjunction	on with a chin control.	

	Options wit	h a circular checkbox (O) ar	e NOT available through Quantum West.		
JOYSTICK MOUNTING BRACKETS			SPECIALTY SEATING		
Description	Price	HCPCS Code	Description	Price	HCPCS Code
Comes Standard with a Quick Release, Adjusta ☐ Fixed Inline¹	able-Height Joy Standard	stick Block	O Specialty Seating Kit Seat Width:	No Char	rge
side: ☐ Left ☐ Right ☐ Swing-away Side: ☐ Left ☐ Right	\$210	E1028	○ 16"	O 19"	O 20"
Style: ☐ Inline ☐ Offset Length: ☐ 4" Ext. ☐ 7" Ext.²	• 4 • •	140.400	Back Cane Height: O 18" O 20" O 22"	3 10	3 20
☐ Multi-axis Fixed Side: ☐ Left ☐ Right	\$100	K0108	Back Rest Height: 18" 20" 22" Armrests:		
Not available with Q-Logic EX Stand Alone Joystick In iQuantum choose in addition to Swing-Away 4" mount.			O 2-Post, Fixed, Flip Back ¹	No Char	rge
CONTOURED SEATING			☐ Flip-Back, Cane Mounted¹☐ Removable, Adjustable, Quick Height²☐ Removable, Adjustable, Adjustable, Quick Height²☐ Removable, Adjustable, Quick Height?	\$95 ea. \$275 ea	. E0973
Description	Price	HCPCS Code	O Removable, Single-Post, Fixed Height Adjustable Heavy Duty	\$150 ea	E0973
High Back: O Limited Recline High-Back with Headrest C Limited Recline High-Back with Headrest & Solid Seat Pan	No Cha No Cha	•	○ 8-12" Adjustment ○ ○ Pediatric, Removable³ Color: ○Match Shroud ○Black ○ Quad Release Lever	10-14" Adjustme \$275	ent E0973
Seat Width: O 18" O 20" Seat Depth			. ~	Desk Length Desk Length	
O 18" O 20" Upholstery: O Black Vinyl			Swing-away Laterals Interfere with flip-back arms. Cal Adjustable from 11" to 17"H in 1/2" increments. Height adjustable from 7.75"-9.75" in 1/2" increments.	•	h Shape back. not available.
Depth Adjustable High Back: O Limited Recline Depth Adjustable	No Charg	A	SYNERGY® SEATING SYSTEMS		
High Back w/ Headrest ¹ Color: O Gray Vinyl O Black Viny	ŭ		Description	Price	HCPCS Code
Size: O 18"W x 18-20"D O 20"W x 18			☐ Synergy Seating Frame ☐ Standard Stem Mounts	\$434	
Armrests: O Flip-Up, Removable O Flip-Up, Height-Adjustable, Removable	No Charg \$85 ea.	e E0973	☐ 2" Extended Vertical Stem Mou ☐ Synergy Manual Recline ☐ Package²	unts¹ \$700	E1226
Armpads: Left: O Full Length O Desk Length	gth		Synergy Manual Tilt Pack Max. Seat Size 14"W x 1 Seat Width:		K0108 Capacity
Right: O Full Length O Desk Length			□ 10" □ 11" □ 12" □ 15" □ 16" □ 17"	□ 13" □ 18"	□ 14" □ 19"
Special Order			□ 20" Seat Width Package:		
"W x	_"D		☐ 10"W-14"W ☐ 14"W-18"W ☐ 16"W ☐ 16"W ☐ 16"W	′-20"W	
Seat size can not exceed 22 \$450 MSRP	"W x 20"D		□ 10" □ 11" □ 12" □ 15" □ 16" □ 17" □ 17"	□ 13" □ 18"	□ 14" □ 19"
			Seat Depth Package: 10"D-14"D 15"D	-20"D	
Seat comes automatically with a 60" belt. Requires Full Length	th Arms.		Back Cane Height: ☐ 14" ☐ 15" ☐ 16"	1 7"	
MANUAL RECLINER			□ 18" □ 19" □ 20"	☐ 17 ☐ 21"	
Description	Price	HCPCS Code	□ 22" □ 23" □ 24"	2 5"	
Manual Recliner High Back with Headrest Manual Recliner High Back with Headrest and Solid Seat Pan¹	\$600 \$600	E1226 E1226	Increases seat to floor height by 2". Lowest seat-to-flo Not available with Flip Back Arms, Cantilever Arms or 2.5" above seat pan. In i-Quantum this option is chosen under "Width Packa"		le. es 22"H canes. Pivot point
Upholstery:			SYNERGY® BACK OPTIONS	ige Type	
O Black Vinyl Seat Width:			Description Description	Price	HCPCS Code
O 16" O 18" O 20"			☐ Synergy® Shape Back Positioning Back	Various	E2613/E2614
<u>Seat Depth:</u>			See Synergy Shape Back Order Form For O Sling Back	Detailed Pricing, Size \$98	es and Codes
Armpads:	ath		☐ Omit Back	No Char	rge
Left: O Full Length O Desk Length: O Full Length O Desk Length: Length O Desk Length: Desk Length: Desk Length: O Desk Length: Desk Length: Desk Length: O Desk Length: Desk Length: Desk Length: Desk Length: Desk Length: Desk Length: O Desk Length: Desk Length	•		□ Synergy® Back with 1.5" Thick Back Cushion Overall Back □ 18" H □ 19" H □ 20"H Height: □ 22"H □ 23"H □ 24"H		
			Choose Lateral Extensions: Graph 6" for 13"-16"H Back	\$25	
			☐ 10" for 17"-18"H Back	\$25	
			☐ 12" For 19"-22"H Back☐ 16" For 23"-25"H Back☐ 16" For 23"-25"H Back☐ 16" For 23"-25"H Back☐ 16" For 25" For	\$25 \$25	

SYNERGY® BACK OPTIONS (CONT	'D)		SYNERGY® ARMPAD	S		
Description	Price	HCPCS Code	Description		Price	
TRU-Comfort™ Back¹ 4-way Stretch Material Cover			□Straight, Full Length (2"x14		Standard	
Width: 16"W 18" W 20"W	\$595	E2620	☐Straight, Desk Length (2"x	Right 10") Right	No Charg	е
	23"H 28"H		■Waterfall, Full Length (2"x14		No Charg	е
- <i>Width:</i> □ 17"W □ 19"W	\$595	E2620	□Waterfall, Desk Length (2")		No Charg	е
	25"H		□Falcon Gel, Full Length, (3 □Left □F	.5"x14")* Right	\$160 pr.	
Height ¹ : ☐ 27"H ☐ 28"H			□Full Length Ge Mounting Plate	(Required)*	\$56.69 ea	1.
Width: □ 22"W³ □ 24"W³ Overall Back □ 24"H □ 25"H □ 27"H □	\$695 28"H	E2621		Right	\$125 pr.	
Height ¹ :			□Desk Length 0 Mounting Plate	•	\$53.52 ea	l.
Tru Comfort Color Shroud Option: ☐ Black (Standard color option)			OFlat, Bariatric² □Left □ □F	Right	No Charg	е
Metallic Colors:\$100 O Candy Apple Red O Silver	_		Not available w/ Cane Mounted, Fl Bariatric Armrests require Bariatric	ip Back Armrests con Armpads	nbined with a Synergy	Back.
O Viper Blue O Emerald CO Sunburst Orange O Sapphire			HEADRESTS			
O Pearl Pink	2.00		Description		Price	HCPCS Code
Synergy® Back Cane Options:			☐ No Headrest Required			
☐ Standard Back Canes	Standard		TRU-Comfort™Headrest¹: □ 8" W Leatherette		\$205	E0955
Omit Push Handles	\$125 \$150		■ 8"W TRU-Comfort Plus		\$205 \$205	E0955
☐ Flip Forward Back Canes⁴☐ Omit Push Handles	\$150 \$125		☐ 10" W Leatherette		\$205 \$205	E0955
☐ Office (Meso) ⁵	\$125 \$195		☐ 10"W TRU-Comfort Plus		\$205	E0955
□ 2" (1" Per Side) □ 4" (2" Per Side	•		☐ Removable Headrest Brad	ket	\$210	E1028
☐ Inset (Endo)	\$195		Stealth:		V =	
☐ 2" (1" Per Side) ☐ 4" (2" Per Side			☐ Small (9.75"W x 3"H) (STL-	OTSM250)	\$205	E0955
2 (1 1 61 61d6) 2 4 (2 1 61 61d6	٥)		☐ Large (11"W x 6"H) (STL-07		\$205	E0955
			☐ Pediatric Comfort Plus (6"	,	\$142	E0955
4. Net evelleble on Orestelle Orestine IVI			☐ Small Comfort Plus (10"W	, . ,	\$142	E0955
Not available on Specially Sealing Kit. Overall Back height measurement is measured from the seat.	pan to the top of	f the back, +/- 1/2".	☐ Large Comfort Plus (14"W	,	\$142	E0955
Not available on Specialty Seating Kit. Overall Back height measurement is measured from the seat Available with offset (meso) brackets. Not available with Vent Tray, or O2 Holder. May interfere with Dual Post Flip-back Armrests interfere with offset canes.	Lateral Supports	s and Waterfall Armnads	☐ Removable Headrest Brad		\$210	E1028
Dual Post Flip-back Armrests interfere with offset canes.	Zatorai Gapporti	and materials ampade.	Swing-away (Flip-down) F		\$210	
			Bracket (FDM350)		•	
			Used in Addition to Removable	Headrest Bracket		
			Aftermarket Bracket:			
SYNERGY® ARMRESTS			Stealth's World's Best Remove	able Headrest	\$210	E1028
			Hardware (TWB485)			
Description	Price	HCPCS Code	Measurement is taken from the insi	de of the headrest.		
☐ Flip-back, Cane Mounted¹	No Charg	e	NON-POWERED LEG	RESTS		
☐ 2-post, Flip-back, Height-adjustable,	\$150 ea.	E0973	Description		Price	HCPCS Code
Removable ^{2,3}			Description		FIICE	ncres code
☐ Single-post, Height-adjustable, Removable ^{3,4} ☐ ☐Quad Release Lever	\$75 ea.	E0973	☐ 70° Swing-away Legro	ests ¹	\$162 ed	
Removable, Single-post, Height Adjustable, Heavy Duty	\$75 ea.	E0973	☐ Standard Extruded Foo Standard Extruded Extensions:	tplates	No Charge	Э
□8"H - 12"H □10"H-14"H □ Pediatric, Removable ⁵	\$75 ea.	E0973	☐ 11"-13"	1 3"-16.5"	1 5.5"-19.5"	
color: □Match Shroud □Black	ψ10 ca.	L0373	Standard Extruded Footplates: 7.25" x 6"	□ 8.5" x 6"		
□Quad Release Lever			☐ Angle-Adjustable Footp		\$150	K0040
O Bariatric, Removable, Height Adjustable ⁶	\$75 ea.	E0973	Angle Adjustable Extensions:	atcs	Ψ100	10040
□8"H - 12"H			□ 11"-13"	□ 13"-16.5"	1 5.5"-19.5"	
☐ Height Adjustable Cantilever Armrests ⁷	\$195	K0020	Angle-Adjustable Footplates:	D 5" 0"	D 5" 0"	
Angle-Adjustable: -30° through +30°			☐ 4" x 6"	□ 5" x 6"	□ 5" x 8"	
Interferes with swing-away laterals.			G 8"3	□ 6" x 11" ³	□ 8" x 11" ⁴	1/0040
Interferes with swing-away laterals. Height adjustable from 9'	'-13" in 1" incren	nents.	☐ Multi-Axis Footplates Multi-Axis Extensions:		\$495	K0040
Not available with a depth less than 14".			Multi-Axis Extensions. ☐ 11"-16.5"	1 5.5"-19.5		
 Height adjustable from 11"-17" in 1/2" increments Height adjustable from 7.75"-9.75" in 1/2" increments. Full len Bariatric Armrests require Bariatric Armpads 	gth armpads no	t available	Multi-Axis Footplates:	_ 10.0 - 10.0		
Height adjustment from 11-17" depends on cane height. Not	available with M	anual Recline, Flip	☐ 4" x 6"	□ 5" x 6"	□ 5" x 8"	
Forward back canes, Cane Clamp Pushbar, & Shape Back. (arm troughs or Universal Swivel.	Call for details w	hen selecting aftermarket	☐ 6" x 8" ³	☐ 6" x 11" ³	□ 8" x 11" ⁴	
			l <u> </u>			
			Legrest Extensions are measured f Includes Heel Loops	rom seatpan to footp	late.	
			Causes interference on seat widths Causes interference on seat widths	less than 18".		
			Jacob michigranio dii deal Widilia			

NON-POWERED LEGRESTS			ADJUSTABLE CENTER MOUNT FO	OT PLA	TFORM (CONT'D)
Description	Price	HCPCS Code	Description	Price	
☐ High Mount, Clamp-On Footrest* ☐ Angle Adjustable ☐ Small, 4" x 7.75"	\$356	K0040	☐ 4" Width Extension with 2" Bell Shaped, Length Extension Kit	\$75	
☐ Large, 4.25" x 9.25" ☐ Multi-Axis ☐ Small, 4" x 7.75" ☐ Large, 4.25" x 9.25"	\$356 \$456 \$460	K0040	☐ 6-Piece Extension Stock Kit	\$95	
☐ Heavy Duty Drop-In Legrests¹ ☐ Angle Adjustable Footplates² Angle Adjustable Extension Length: ☐ 12"-14.5" ☐ 14.5"-18"	\$420 \$150	K0040	(Includes all above pieces) Additional Optional Accessories ⁶ : ———————————————————————————————————	\$49	
Angle Adjustable Footplate Size: □4" x 6" □5" x 6" □6" x 8"³ □6" x 11"³	□5" x 8" □8" x 11" ⁴		6. Choose in Rigging Accessory Section in iQuantum. ELECTRONICS FOR POWER LEGRI		
☐ Elevating Legrests ☐ Standard Footplates Standard Extruded Extension Length: ☐ 11"-14" ☐ 14"-17" Standard Extruded Footplate Size:	\$325	K0195/E0990⁵	Description ☐ Single Actuator Through Joystick (AFP Only or PES Only) ☐ Dual Actuator Through NE+ 6-Key (Power Legrests or AFP with PES)	\$1,175 \$2,375	E2310 ¹ E2311 ²
□7.25" x 6" □8.5" x 6" □ Angle Adjustable Footplates² Angle Adjustable Extension Length: □12"-14.5" □14.5" -18" Angle Adjustable Footplate Size:	\$150	K0040	Multiple Actuator Through Q-Logic EX HCPCS used only with Power AFP. HCPCS used only with Power Legrests	\$2,375	E2311 ²
$\square 4" \times 6" \qquad \square 5" \times 6"$ $\square 6" \times 8"^3 \qquad \square 6" \times 11"^3$	□5" x 8" □8" x 11" ⁴		POWER ELEVATING LEGRESTS	Duine	UCBCC Code
☐ Calf Pad Adjustment ☐ Hole ☐ 3 Hole	□6 Hole		Description □70° Articulating Swing-Away Legrests,	Price \$2,395	HCPCS Code 5 E1010
□ 90° Pediatric Swing-Away Legrests □ Angle Adjustable Footplate² Angle Adjustable Extension Length: □ 7"-10" Angle Adjustable Footplate Size: □ 4" x 6" □ 5" x 6" 1. Legrest Extensions are measured from seatpan to foot 2. Includes heel loops. 3. Causes interference on seat widths less than 18" 4. Causes interference on seat widths less than 20" 5. E0990 code used for purchase in CBA. K0195 code use	olate. sed for capped rental.	FORM	4" Articulation Range¹ Quad Release Lever Calf Pads²: G" x 5.35" Angle Adjustable Extension Length³: G11"-13" Angle Adjustable Footplate Size: G4" x 6" G9" x 8"4 Operational Method: GIndependent Grange G" Articulating Drop-In Legrests¹ G4" Range G" and G" Range G" Range		5 E1010
Description	Price	TORW	Calf Pads ² : □6" x 5 35" □8" x 5 86"		
Adjustable Center Mount Foot Platform¹ Includes 10"W x 11"D Split Foot Platform Extensions:²	9" Ext. \$150 w)⁴		Angle Adjustable Extension Length³: □12"-14.5" □14.5"-18" Angle Adjustable Footplate Size: □4" x 6" □5" x 6" □5" x 8 □6" x 8" ⁴ □6" x 11" ⁴ □8" x 1" Operational Method: □Independent □Combined 1. Only available on Synergy Seating Systems. 2. Choose in Rigging Accessory Section in iQuantum. 3. Extensions are measured from top of seat pan to footplate. 4. Only available with seat width 18" or greater. 5. Only available with seat width 20" or greater.		
			CENTER MOUNT ARTICULATING FO		
□ 2" Bell Shaped, Length Extension Kit	\$50		Description ☐ Center Mount Articulating Foot Platform¹ Includes 10"W x 11"D Split Foot Platform Extensions²: ☐ 10"-16" Ext. ☐ 13"-19" Ex Calf Supports³: ☐ Calf Pads (pair) ☐ Small (6"H x 6"W) ☐ Large (8"H x 8"W, Tapered to 6"W)	Price \$2895 t.	K0108
 Only available on Synergy Seating Systems. Extension length is measured from top of the seat pan to 3. Choose in Rigging Accessory Section in Quantum. Not available with 8-12° or 10-14" extensions. Assembly required. May require seating configuration and 	o footplate. djustments to avoid fro	ont caster interference.	Only available on Synergy Seating Systems. Extensions measured from top of seatpan to footplate. Choose in Rigging Accessory Section in iQuantum.		

Order Form

CENTER MOUNT ARTICULATING FO	OOT P	PLATFORM (CONT'D)	LATERALS		
Description	Pric	е	Description	Price	HCPCS Code
Optional Modular Footplate Extension Components/Kits ^{1,2} 4" Width Extension Kit	\$50		☐ Stealth Thoracic Laterals (pair)¹*		
			Bracket: ☐ Swing-Away Rail Mounted	\$450	E1028
	6		For Use on Synergy Back and Tr Pad:	u-Comfort	
D 2" Dall Chanad Langth	¢ E0		☐ Flat Pad, 3"x5", Leather-Like Cover	\$200	E0956
2" Bell Shaped, Length Extension Kit	\$50		☐ Flat Pad, 4"x6", Leather-Like Cover☐ Curved Pad, 2"x3", 4-Way Stretch Cover	\$200 \$200	E0956 E0956
	9		☐ Curved Pad, 2 x3 , 4-vvay Stretch Cover☐ Curved Pad, 3"x5", 4-Way Stretch Cover☐ Curved Pad, 3"x5", 4-Way Stretch Cover☐ Curved Pad, 2 x3 , 4-vvay Stretch Cover☐ Curved Pad, 3"x5", 4-vvay Stretch Cover☐ Curved Pad, 2 x3 , 4-vvay Stretch Cover☐ Curved Pad, 3"x5", 4-vvay Stretch Curved Pad, 3		E0956
			☐ Curved Pad, 4"x6", 4-Way Stretch Cover		E0956
			☐ Stealth Pelvic/Thigh Laterals*		
☐ 4" Width Extension with 2" Bell	\$75	1 .	Side: □ Left Side □ Rid	ght Side	
Shaped, Length Extension Kit			Bracket:		
	6		☐ Removable Bracket (ea.)☐ Removable Bracket w/ 1" Offset (ea.)	\$250 \$325	E1028
	`		☐ Flip Down Bracket (ea.)	\$325 \$225	E1028 E1028
			Pad:	•	
6-Piece Extension Stock Kit	\$95		☐ Short Pad, 4"x4" (ea.)☐ Medium Pad, 4"x8" (ea.)☐	\$50 \$50	E0956 E0956
(Includes all above pieces)			Long Pad, 4"x12" (ea.)	\$50 \$50	E0956
Additional Optional Accessories:			Adapter: □2" Depth/Height Adapter Plate (ea.)²	\$25	K0108
☐ Footplate Connector¹	\$49			4 _0	. 10 . 00
Choose in Rigging Accessory Section in iQuantum. Assembly required. May require seating configuration adjustm	ents to av	oid front caster interference	Swing-away Laterals Interfere with flip-up armrests. Height adaper plate is needed w/ Tru Comfort seat cushion. N	lot available on th	ne flip down bracket.
FRONT RIGGING ACCESSORIES	onto to av				
Description	Price	HCPCS Code	MISCELLANEOUS POSITIONING CO		
☐ Wheel Bumpers	\$25		Description	Price	HCPCS Code
☐ Heel Loops (pair)¹	\$38	E0951	☐ Therafin Flip-down Knee Abductor Bracket¹*	\$172	E1028
☐ Gel Neoprene Footrest Sleeve (pair)²	\$65	K0108	Pad: ☐ Small ☐ Medium ☐ Large	\$135	E0957
□ ELR/ALR Adductor Buttons (pair) □ POSAlinc Knee Adductor for	\$125 \$256	K0108 K0108	☐ Stealth Foot Boxes (pair)*	\$475	K0108
Swing-Away Legrests (pair)*	φ230	KU 100	O Small O Medium ☐ Large		
□ POSAlinc Rail Mounted Knee Adductor (pair)	\$287	K0108	☐ Stealth Padded Shoe Holders (pair)*	\$166	K0108
☐ Residual Limb Support	\$300	E1020	☐ Small ☐ Medium ☐ X-Large ☐ Otto Bock Arm Channels (ea.)*	\$104	E2209
☐ Left ☐ Right ☐ Bodypoint Ankle Huggers (pair)*	\$134	K0108	Side:	*	
☐ Small ☐ Medium	Ψ.σ.		☐ Left ☐ Right Size:		
Standard with Angle Adjustable or Multi-Axis footplates.			☐ Small ☐ Medium ☐ Large	050	
Standard with Angle Adjustable or Multi-Axis footplates. Only available with Swing-Away legrests.			Otto Bock Flat Hand Pad(ea.)* Side:	\$52	
SEAT CUSHIONS	Derive	11000000-4-	□ Left □ Right Size:		
Description Description	Price	HCPCS Code	☐ Medium ☐ Large		
■ No Cushion Required Please refer to Synergy order forms for detailed	pricing, si	zes and codes.	Please see positioning components order form for add 1. Not available with high mount foot platform.	ditional types, siz	es and details.
Simplicity Cushion General Use ☐ 16" x 16" - 20" x 20"		E2601			
Solution® 1 Cushion Skin Protection:	\$98	E2001	ACCESSORIES		
□ 14" x 14" - 20" x 18"	\$380	E2603	Description	Price	HCPCS Code
□ 20" x 20"	\$430	E2603	D Door Bookett	£400	
Solution® Cushion Skin Protection & Positioning ☐ 10" x 10" - 20" x 18"	\$380	E2607	☐ Rear Basket¹☐ Cane/Crutch Holder¹☐	\$103 \$98	E2207
□ 20" x 20"	\$430	E2607	☐ Weather Cover, Medium, Black	\$158	22201
Spectrum® Gel Cushion Positioning			☐ Cup Holder	\$17 ²	
12" x 10" - 20" x 19"	\$480	E2605	Side: □Left □Right		
☐ 20" x 20" Spectrum® Visco Cushion Skin Protection & Positioni	\$530	E2605	☐ Saddle Bag	\$28	
□ 10" x 10" - 20" x 18"	\$480	E2607	☐ Flag Holder	\$17	
□ 20" x 20"	\$530	E2607	☐ Quantum Backpack³☐ Oxygen Holder Contoured Seating¹☐	\$60 \$103	E2208
Spectrum® Air Adjustable Skin Protection ☐ 14" x 12" - 20" x 20"	¢400	E2622	Oxygen Holder Contoured Seating Oxygen Holder Synergy Seat ⁴	\$103 \$150	E2208
Spectrum® Air Contour Adjustable Skin Protection & Po	\$480 sitionina	E2022	○ Walker Holder⁴	\$92	K0108
☐ 14" x 12" - 20" x 20"	\$499	E2624	O Tablet Holder ⁵	\$315	
TRU-Comfort™ Seat Cushion General Use Includes Allure leather-like cover			O Deluxe Cell Phone/Media Holder⁵ O Cell Phone/Media Holder⁵	\$140 No Charge	ž
☐ 16" x 16" - 20" x 20"	\$380	E2601		Ü	
TRU-Comfort™ Plus Seat Cushion Skin Protection			Includes mounting hardware. Not available on Manual Reclin No charge on Synergy Seating.	er.	acatina
Includes 4-way stretch material cover ☐ 16" x 16" - 20" x 20"	\$380	E2603	No charge on Synergy Seating. Backpack may interfere w/ other rear accessories. Not availate. Not available with Synergy manual recline or manual tilt. Inclu	des mounting ha	seating. rdware.
			5. Only available with Synergy or Specialty seating. Positioning Components screen in iQuantum		

LAPBELTS Description Price ■ 38" Lap Belt¹ Standard □ 50" Lap Belt1 Standard □ 60" Lap Belt Standard O 60" Non-Retractable (Sure-Lok)2 Standard ☐ 70" Lap Belt Standard □ 80" Lap Belt Standard □ 90" Lap Belt Standard ☐ Pelvic Positioning Belt, 2-Point Padded Med, \$87 9"-15" Hip Width ☐ Pelvic Positioning Belt, 2-Point Padded, Lg, \$92 13"-19" Hip Width* ☐ Pelvic Positioning Belt, 4-Point Padded, Med, \$112 9"-15" Hip Width* ☐ Pelvic Positioning Belt, 4-Point Padded, Lg, \$116 13"-19" Hip Width*

1. Includes mounting hardware. Not available with Manual Recliner

BATTERY OPTIONS

Description	Price	HCPCS Code
□NF-22, 50-Amp Batteries □Maintainance Free AGM □Maintainance Free Gel Cell (Universal) □Maintainance Free Gel Cell (MK)	\$255 ea. \$295 ea. \$295 ea.	E2361 E2361 E2361
□Batteries Installed □Do Not	Install	

VENT TRAY (SYNERGY SEAT ONLY)

Description	Price
-------------	-------

O Compact Vent Tray

\$1.395

The addition of a compact vent trav increase the length & weight of your power chair

Mounting Bracket:

Bracket is pre-selected with TRU-Comfort Back

OFlush O3" Offset1

- O6" Offset

- Accomodates Pulmonetics LTV-style ventilators. Max Vent Dim. 3.25" H x 10.5" W x 13.5" / 20 lbs. Not Available with Power Elevateing Seat, Shape Back, Sling Back, Manual Recline, Manual Tilt, Flip Down Back Canes or rear mounted accessories.



1. Not available with Flip-Up Armrests

TRANSIT KIT INFO

THIS SECTION MUST BE READ

The Transit Securement Package, when used in conjunction with a wheelchair in the specific configuration of a 18"x20" seat size, with 25" high back canes, Full-length height-adjustable single post armrests, Synergy back 25"h, and style 8 swing away legrests and extruded footplates and heelloops, conforms with the standard of ANSI/RESNA WC/Vol. 4, Section 19, for the purpose of enabling wheelchairs to be secured in certain types of motor vehicles. The Transit Securement Package, including manufacturer-installed front and rear securement brackets and pelvic belt anchoring brackets, has been crash tested in accordance with ANSI/RESNA WC/Vol. 4, Section 19, Frontal Impact Test, with a 168-lbs. (76.2 kg) surrogate occupant corresponding to a user weight range of 115 lbs. (52.16 kg) to 210 lbs. (95.25 kg). While the Transit Securement Package is compatible with additional seat sizes, optional components, and varied configurations, and provides designated securement points, Pride Mobility makes no claims that any other components or configurations have been tested beyond the above described ANSI/RESNA conforming configuration. Please refer to the Transit Securement Package supplement (part number INFMANU3658) for additional information.

-All options are available when unoccupied.

Notes when selecting occupied transit kit:

- -It is recommended that usuable back height be 2" lower than shoulder height.
- -Available on Synergy Seat up to 20W x 20D
- -Power AFP, ALRs & ELRs are available on Synergy Seating
- -All legrests must have heel loops
- -Synergy manual seating is N/A
- -TRU-Balance Power Positioning seating, options and accessories are N/A
- -TRU-Comfort seat cushion is N/A
- -Contoured seating is N/A
- -Specialty seating is N/A
- -Vent option is N/A
- Omit Back option is N/A

^{2.} Only needed with the occupied transit kit.